

## **IN THE CLAIMS.**

1. (Currently Amended) A composition suitable for use in a cleaning or washing process, said composition located in a single compartment of an aqueous sensitive device and including at least one aqueous sensitive component and a non-aqueous carrier component for stabilizing said aqueous sensitive component, characterized in that said non-aqueous carrier component includes a mineral oil, a mineral oil gelling agent and ~~an~~ a mineral oil emulsifying agent for emulsifying the mineral oil and said aqueous sensitive component includes a bleaching agent.
2. (Previously Presented) A composition according to claim 1 characterized in that the aqueous sensitive component is substantially homogeneous with the non-aqueous carrier component.
3. (Previously Presented) A composition according to claim 1 characterized in that the emulsifying agent is or includes a surfactant.
4. (Previously Presented) A composition according to claim 1 characterized in that the emulsifying agent is provided in an amount between 1-10% in the composition.
5. (Previously Presented) A composition according to claim 1 characterized in that the aqueous sensitive device is an aqueous soluble sachet.

6. (Cancelled) A composition according to claim 1 characterized in that the aqueous sensitive component is or includes a bleaching agent.
7. (Currently Amended) A composition according to claim 6\_1 characterized in that the bleaching agent is a halogen based bleaching agent.
8. (Currently Amended) A composition according to claim 6\_1 characterized in that the bleaching agent includes any or any combination of sodium percarbonate, dichlorocyanurate, bromo-hydantoin or tetracetylene diamine.
9. (Currently Amended) A composition according to claim 6\_1 characterized in that the composition includes a bleach activator for activating said bleaching agent when mixed with an aqueous solution.
10. (Previously Presented) A composition according to claim 1 characterized in that the aqueous sensitive component is or includes an enzyme.
11. (Previously Presented) A composition according to claim 1 characterized in that the gelling agent is provided in an amount between 1-10% of the composition.

12. (Previously Presented) A composition according to claim 1 characterized in that the gelling agent is a tertiary amide terminated polyamide or hydrocarbon –terminated polyether-polyamide block copolymer.
13. (Previously Presented) A composition according to claim 1 characterized in that the composition includes any or any combination of one or more detergent builders, fragrant components, inert fillers, water softeners, detergents, pigments, dyes or optical brighteners and enzymes.
14. (Previously Presented) A composition according to claim 1 characterized in that the mineral oil is C<sub>20</sub>-C<sub>28</sub> paraffin.
15. (Previously Presented) A composition according to claim 1 characterized in that the gelling agent is substantially soluble in the mineral oil.
16. (Canceled)
17. (Canceled)
18. (Currently Amended) A water soluble sachet, said sachet containing a composition suitable for use in a cleaning or washing process, said composition contained in a single compartment in said water soluble sachet, said composition including ~~at least one bleaching agent~~, one or

more bleach activating agents, an aqueous sensitive component having at least one bleaching agent and a non-aqueous carrier component for stabilizing said bleaching agent, characterized in that said non-aqueous carrier component includes a mineral oil, a mineral oil gelling agent substantially soluble in said mineral oil and ~~an~~ a mineral oil emulsifying agent for emulsifying the mineral oil.

19. (Previously Presented) A water soluble sachet according to claim 18 characterized in that one or more enzymes are contained in the composition and/or sachet.
20. (Withdrawn) A method of manufacturing a composition according to claim 1, characterised in that said method includes the steps of mixing the mineral oil and the gelling agent together at a temperature at or above the melting point of the gelling agent until the gelling agent substantially dissolves in the mineral oil to form a substantially homogenous mixture, and adding an emulsifying agent to the mixture.
21. (Withdrawn) A method according to claim 20 characterised in that the composition is cooled to a pre-determined temperature whereupon one or more water softener components and/or chelating agents are added to the composition.
22. (Withdrawn) A method according to claim 20 characterised in that the temperature is 40°C or below.

23. (Withdrawn) A method according to claim 20 characterised in that one or more bleaching agents and/or bleach activators are then added to the composition.
24. (Withdrawn) A method according to claim 20 characterised in that one or more bleaching agents, bleach activators and/or enzymes are then added to the composition.
25. (Previously Presented) A composition according to claim 1 characterized in that it is an auto dishwashing gel composition.
26. (Previously Presented) A composition according to claim 1 characterized in that it is a cleaning composition.
27. (Currently Amended) A composition suitable for use in a cleaning or washing process, said composition located in a single compartment of an aqueous sensitive device and including at least one aqueous sensitive component and a non-aqueous carrier component for stabilizing said aqueous sensitive component, characterized in that said composition is a non-aqueous gel, said at least one aqueous sensitive component is a particulate bleach product, said non-aqueous carrier component includes a mineral oil, a mineral oil gelling agent and ~~an~~ a mineral oil emulsifying agent for emulsifying the mineral oil and said aqueous sensitive component includes a bleaching agent.

28. (New) A composition suitable for use in a cleaning or washing process, said composition comprising:

an aqueous sensitive component having a bleaching agent;

a non-aqueous carrier component for stabilizing said aqueous sensitive component;

a bleach activator for activating said bleaching agent when mixed with an aqueous solution; and

said composition located in a single compartment of an aqueous sensitive device holding said composition;

wherein said non-aqueous carrier component includes a mineral oil, a mineral oil gelling agent and a mineral oil emulsifying agent for emulsifying the mineral.